


Outdoor

2025 Catalogue



BEYOND LIGHT..
TO THE LAST DETAILS!



We strive to be
the leader in the industry
and the world's most
respected lighting solution
provider.


ILLUS Lighting

ILLUS dedicates itself to provide human oriented architectural lighting solution and products for indoor and outdoor applications. A truly innovative company, ILLUS has always been at the forefront of professional office lighting since inception. Since then ILLUS continues developing innovative, custom lighting solutions that meet extremely exacting requirements in terms of ergonomics, economic efficiency and environmental compatibility and also deliver aesthetic added value to our customers. Our customers will always find that our solutions reflect the requirements satisfying a broad range of customer needs for every lighting application ILLUS is a brand that helps revealing the beauty around you where it constitutes of products and solutions designed with care and attention to detail giving professional quality products.

Our goal has always been to offer our customers a first-class product backed by unparalleled service, focused on solving our client’s illumination challenges.

Our Vision

In ILLUS every detail created with enthusiasm constantly evolving technology to simplify the life of people. We consistently innovate and devote to decrease power consumption to ease the burden of earth. Light is essential for people’s life quality and well-being, we care for every situation people need artificial light whenever light serves. ILLUS lighting is beyond light, to the last details.



Where to find us

Kingdom of Saudi Arabia-Head Office

3533 Al Kharj Rd, Al Aziziyah, Riyadh 14511
<https://maps.app.goo.gl/TRgDmL4efaDRzWWL8>

China – illus

Star Alliance, No.68 Zhongxing Avenue, Guzhen, Zhongshan,Guangdong, China
<https://maps.app.goo.gl/cJJefWvYRyfzAQjq8>

Spain – illus

46970 Alaquàs, Valencia, Spain
<https://goo.gl/maps/C5DejH52sP17L2Nv9>

UAE – Build Station

75 6th St - Al Quoz - Dubai - United Arab Emirates
<https://goo.gl/maps/LCTSSYSqEB2mcAbA8>

Kingdom of Bahrain

7J3Q+R36, Arad, Bahrain
<https://maps.app.goo.gl/e2wceYwDusnepts7>

Qatar – Build Station

Zone 43, Street 340, Salwa Rd, Doha, Qatar
<https://maps.app.goo.gl/hQY8PbFDPbXKYiqJ6>

Oman – Build Station


18 November Street 411 Muscat, Al Aziba, 130, Oman
<https://goo.gl/maps/6tJLBVdhiVPvUE1w7>

Kuwait –Lighting Stores

No 4, Opposite the city center entrance, 142 8 St, Shuwaikh Industrial, Kuwait
Lighting Stores - Google Maps

Egypt -illus

13 El Obour Bldgs. Salah Salem – Masr El-Gedida - Cairo
30° 04'40.0"N 31° 18'36.7"E - Google Maps



R&D and Manufacturing


Manufacturing

ILLUS has two directly-operated production bases in Yangzhou covering an area of 25,000 square meters and 300 staffs. The production bases contain over 30 hi-speed automatic encapsulation lines, 15 automatic SMD and applied welding lines, 5 automatic extrusion lines and 6 automatic luminaire production lines, characterizing a complete production process for LED strip inclusive of LED encapsulation, hi-speed SMT, automatic welding and full series of water resistance with average monthly production capacity of LED strips reaching up to 1.5 million meters. Besides, ILLUS modernized manufacturing factory to achieve a complete production process for linear luminaire inclusive of precision machining, automatic assembly, color spraying and free customization with average monthly production capacity reaching up to 120,000 strips in order to assure customers of high-quality, super cost-effective products and rapid delivery.



R&D

ILLUS has established a R&D expert team composed of over 50 core technicians, a majority of which graduated from top-rated universities and are proficient in such fields as optics, technique, material science, electrics, thermal physics, intelligent control and industrial design with more than 10years R&D experience and technical know-how in linear lighting.



Laboratory & Inspection

Laboratory of ILLUS, covering an area of 460 square meters, was outfitted with 48 sets of equipment which was distributed as per safety zone, EMC zone, photoelectric zone, IP water resistance zone, aging zone and product reliability zone. Inspection covers products inclusive of LED strip, neon strip, linear luminaire, power supply and related accessories, with inspection standard ranging from safety, EMC, performance to product reliability. Testing reports can be tracked all the way from product design evaluation period to type approval period to guarantee quality of products.



Patent

ILLUS strives to R&D in product and technology. So far, it has gained 3 invention patents and nearly 100 utility model patents and appearance patents.

Contents

Surface Frames

- Surface Mounted Luminaire

LED Wall & Wall Luminaire

- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light

LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire
- Fence Luminaire

Projector Series

- LED Projector Luminaire
- Projector Luminaire
- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire

In-Ground Luminaire Series

- LED In-ground Luminaire
- In-Ground Luminaire

Solar Light

- LED Solar Street Light Luminaire
- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire
- LED Solar Spike Luminaire
- LED Solar Wall Luminaire
- LED Solar Flood Light Luminaire



BEYOND LIGHT..
TO THE LAST DETAILS!

Outdoor Lighting

- Surface Frames
- LED Wall & Wall Luminaire
- LED Bollard & Bollard Luminaire
- Projector Series
- In-Ground Luminaire Series
- Solar Light



Surface Frames

■ Surface Mounted Luminaire



Surface Mounted Luminaire

Starlight



- 621025 Max.9W
- 621026 Max.9W
- 613321 Max.9W

■ Aluminum

IP 54 ⚡ GU10
⚡ AC220-240V

Beyond Light,
To the last details


LED Wall & Wall Luminaire

- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light




Slim LED Wall Grazer Luminaire



Rigel Kentaurus



● 615566 36W 1200lm 3000K ■ Aluminum
IP 67 CRI 85 20°*30°
AC220-240V 30,000h



● 615567 18W 500lm 3000K ■ Aluminum
IP 67 CRI 85 20°*30°
AC220-240V 30,000h





● 615566 12W 300lm 3000K ■ Aluminum
IP 67 CRI 85 20°*30°
AC220-240V 30,000h





LED Wall Grazer Luminaire



Capella





- 615554 36W 2300lm 3000K ■ Stainless Steel+Aluminum
- 615555 25W 1450lm 3000K IP 67 CRI 85 15°*24°
- 615560 36W 2550lm 4000K AC220-240V 30,000h
- 615561 25W 1650lm 4000K



- 615556 36W 1150lm 3000K ■ Stainless Steel+Aluminum
- 615557 25W 750lm 3000K IP 67 CRI 85 15°*24°
- 615562 36W 1650lm 4000K AC220-240V 30,000h
- 615563 25W 1300lm 4000K





- 615558 11W 640lm 3000K ■ Stainless Steel+Aluminum
- 615564 11W 720lm 4000K IP 67 CRI 85 15°*24°
- AC220-240V 30,000h



- 615559 5W 250lm 3000K ■ Stainless Steel+Aluminum
- 615565 5W 300lm 4000K IP 67 CRI 85 15°*24°
- AC220-240V 30,000h

Stellar




● 521308 12.5W 3000K 1350lm

■ Aluminum

IP 65 CRI 85 120°
AC100-240V 30,000h

Twilight





● 521309 6.5W 3000K 385lm

■ Aluminum

IP 65 CRI 95 220°
AC100-240V 30,000h

Dreamlike





● 521310 13W 3000K 1000lm

■ Aluminum

IP 65 CRI 85 90°
AC100-240V 50,000h

Marvel




● 611321 7W 3000K 176lm ■ Aluminum
IP 54 CRI 80 110°
AC220-240V 50,000h




● 611322 7W 3000K 186lm ■ Aluminum
IP 54 CRI 80 110°
AC220-240V 50,000h

Silverlake



● 611324 10W 3000K 718lm ■ Aluminum
● 611323 10W 3000K 485lm
IP 54 CRI 80 110°
AC220-240V 50,000h





● 611326 10W 3000K 718lm ■ Aluminum
● 611325 10W 3000K 396lm
IP 54 CRI 80 110°
AC220-240V 50,000h



LED Wall Luminaire

Idyll



● 521317 9W 3000K 420lm ■ Aluminum
IP 65 CRI 85 70°
AC100-240V 30,000h

Idyll Series Family Products

LED Bollard Luminaire



● 521318





● 521319



LED Wall Luminaire

Mushroom



● 521320 12.5W 3000K 500lm

■ Aluminum

IP 54 CRI 85  90°
 AC100-240V  30,000h

Mushroom Series Family Products

LED Bollard Luminaire



● 521321



● 521322

Changing



Changing Series Family Products

LED Bollard Luminaire




SkyEye




SkyEye Series Family Products

LED Bollard Luminaire




Radiance




- 541182 13W 3000K 960lm
 - 541183 13W 4000K 1040lm
- Aluminum
- IP 65 CRI 85 110°*2
AC220-240V 30,000h

Spin




- 541184 13W 3000K 370lm
- Aluminum
- IP 65 CRI 85 280°
AC220-240V 30,000h

Poetry



- 541185 13W 3000K 1000lm
 - 541186 13W 4000K 1050lm
- Aluminum
- IP 65 CRI 85 120°
AC220-240V 30,000h

Cube




- 541190 13W 3000K 250lm
 - 541191 13W 4000K 250lm
- Aluminum
- IP 65 CRI 85 107°
AC220-240V 30,000h



LED Wall Luminaire

Art




- 541196 13W 3000K 490lm
- 541197 13W 4000K 520lm

■ Aluminum

IP 65 CRI 85  140°
 AC220-240V  30,000h

LED Wall Luminaire

Splendor



- 541180 13W 3000K 770lm
- 541181 13W 4000K 820lm

■ Aluminum

IP 65 CRI 85  90°
 AC220-240V  30,000h



LED Wall Luminaire

Lullaby




- 541177 13W 3000K 700lm
- 541178 13W 4000K 750lm

■ Aluminum

IP 65 CRI 85  220°
 AC220-240V  30,000h

LED Wall Luminaire

Fable



- 541179 7W 3000K 530lm


■ Aluminum

IP 65 CRI 85  100°
 AC220-240V  30,000h



LED Wall Luminaire

Moonlight



● 541165 20W 3000K 900lm

■ Aluminum IP 65 CRI 85  160°  AC220-240V  30,000h

Moonlight Series Family Products

LED Bollard Luminaire



● 541162




● 541163




● 541164




Daybreak



● 541166 13W 3000K 600lm
■ Aluminum
IP 65 CRI 85 115°
AC220-240V 30,000h




● 541167 20W 3000K 950lm
■ Aluminum
IP 65 CRI 85 130°
AC220-240V 30,000h



● 541168 30W 3000K 1500lm
■ Aluminum
IP 65 CRI 85 130°
AC220-240V 30,000h

Lane Shine




● 614191 Max.9W ■ Aluminum+Glass

IP 54 ⚡ GX53
⚡ AC220-240V




Warm Sun



● 614192 Max.9W ■ Aluminum+Glass

IP 54 ⚡ GX53
⚡ AC220-240V


Valse-R



● 614194 Max.9W

■ Aluminum+Glass

IP 54 ⚡ MR11/GU10
⚡ AC220-240V



● 614195 Max.9W


■ Aluminum+Glass

IP 54 ⚡ MR11/GU10
⚡ AC220-240V



Wall Luminaire


Valse-A



● 614196 Max.9W

■ Aluminum+Glass

IP 54 ⏏ MR11/GU10
⏏ AC220-240V



● 614197 Max.9W

■ Aluminum+Glass

IP 54 ⏏ MR11/GU10
⏏ AC220-240V

Wall Luminaire

Magic



● 614373 Max.9W


■ Aluminum

IP 54 ⏏ GU10
⏏ AC220-240V



Wall Luminaire


Cloud



● 614198 Max.9W

■ Aluminum+Glass

IP 54 ≡ MR11/GU10
 ⏏ AC220-240V




● 614199 Max.9W

■ Aluminum+Glass

IP 54 ≡ MR11/GU10
 ⏏ AC220-240V

Wall Luminaire

Ideal



● 614193 Max.9W


■ Aluminum+PC

IP 54 ≡ GX53
 ⏏ AC220-240V



LED Surface Mounted Linear Light Luminaire

Arcturus




● 615364 12W 3000K 350lm ■ Aluminum +Plastic
 IP 65 CRI 85 120°
 DC24V 50,000h



LED Surface Mounted Linear Light Luminaire(RGBW)

Rigel




● 615365 12W RGBW W=3000K ■ Aluminum +Plastic
 IP 65 120°
 DC24V 50,000h



LED Surface Mounted Luminaire


Wish



- 611327 8.5W 3000K 206lm
- 611328 8.5W 6500K 206lm
- 611329 8.5W Red 400lm
- 611330 8.5W Green 206lm
- 611331 8.5W Blue 206lm
- 611332 8.5W Yellow 206lm
- 611333 8.5W Purple 206lm

■ Aluminum+PC

IP 54 CRI 80 $\angle$ 180°*3.4
AC220-240V 50,000h



- 613225 8.5W 3000K 162lm
- 613226 8.5W 5700K 196lm
- 613227 8.5W Red 41lm
- 613228 8.5W Green 46lm
- 613229 8.5W Blue 20lm
- 613230 8.5W Purple 38lm
- 613231 8.5W Yellow 161lm


■ Aluminum+PC

IP 54 CRI 80 $\angle$ 180°*6.5
AC220-240V 50,000h



LED Surface Mounted Luminaire

Blue Sky



● 541079 13W 3000K 940lm

■ Aluminum

IP 65 CRI 80  119°
 AC220-240V  30,000h

Blue Sky Series Family Products

LED Bollard Luminaire



● 541112



● 541113




● 541114



LED Surface Mounted Luminaire

Sparkle



● 541081 3.5W 3000K 39lm


■ Aluminum

IP 65 CRI 80 17°

AC220-240V 30,000h

LED Surface Mounted Luminaire

Serenade



● 541098 11W 3000K 660lm

● 541094 13W 3000K 660lm


■ Aluminum

IP 65 CRI 80 122°

AC220-240V 30,000h

LED Surface Mounted Luminaire

Garden



● 541115 4.5W 3000K 874lm


■ Aluminum

IP 54 CRI 80 117°

AC220-240V 30,000h





Endless



● 541086 10W 3000K 313lm

■ Aluminum

IP 54 CRI 80  46°
 AC220-240V  30,000h



● 541096 11W 3000K 366lm


● 541088 11W 3000K 366lm

■ Aluminum

IP 65 CRI 80  203°
 AC220-240V  30,000h

LED Surface Mounted Luminaire

Riverbank





● 541133 3.5W 3000K 54lm

■ Aluminum

IP 65 CRI 80 202°
 AC220-240V 30,000h

LED Surface Mounted Luminaire

Muse




● 541134 3.5W 3000K 272lm

■ Aluminum

IP 65 CRI 80 60°
 AC220-240V 30,000h

LED Surface Mounted Luminaire

Misty



● 541061 10W 3000K 511lm

■ Aluminum

● 541060 10W 3000K 511lm

IP 65 CRI 80 137°
 AC220-240V 30,000h

LED Surface Mounted Luminaire

Moment



● 541063 9W 3000K 530lm

■ Aluminum


● 541062 9W 3000K 530lm

IP 65 CRI 80 137°
 AC220-240V 30,000h




LED Surface Mounted Luminaire

Midnight





- 541065 9W 3000K 258lm
- 541064 9W 3000K 258lm
- Aluminum
- IP 54 CRI 80 263°
- AC220-240V 30,000h



LED Surface Mounted Luminaire


Whisperwind



- 541068 7W 3000K 360lm
- 541067 7W 3000K 360lm
- Aluminum
- IP 54 CRI 80 140°
- AC220-240V 30,000h

LED Surface Mounted Luminaire

Dreamscape




- 541070 3.5W 3000K 97lm
- 541069 3.5W 3000K 97lm
- Aluminum
- IP 65 CRI 80 72°
- AC220-240V 30,000h






LED Surface Mounted Luminaire

Moonlit



● 541104 7W 3000K 235lm ■ Aluminum

IP 65 CRI 80  112°
 AC220-240V  30,000h





● 541105 13W 3000K 362lm ■ Aluminum

IP 65 CRI 80  114°
 AC220-240V  30,000h

LED Surface Mounted Luminaire

Faraway




● 541102 13W 3000K 755lm ■ Aluminum

IP 65 CRI 80  258°
 AC220-240V  30,000h


LED Surface Mounted Luminaire

Velvet




● 541111 7W 3000K 169lm ■ Aluminum

IP 65 CRI 80  218°
 AC220-240V  30,000h




● 541110 13W 3000K 609lm ■ Aluminum

IP 65 CRI 80  303°
 AC220-240V  30,000h



LED Surface Mounted Luminaire

Crystal




● 541106 7W 3000K 370lm

■ Aluminum

IP 65 CRI 80 173°
AC220-240V 30,000h

LED Surface Mounted Luminaire

Moonbeam




● 541108 11W 3000K 387lm

■ Aluminum

IP 65 CRI 80 270°
AC220-240V 30,000h

LED Surface Mounted Luminaire

Boat




● 541107 13W 3000K 698lm

■ Aluminum

IP 65 CRI 80 111°
AC220-240V 30,000h

LED Surface Mounted Luminaire

Frost



● 541109 7W 3000K 179lm

■ Aluminum

IP 65 CRI 80 118°
AC220-240V 30,000h




Geometry




● 521007 6W 3000K 176lm

■ Aluminum


IP 54 CRI 80 110°*5°
AC100-240V 50,000h




● 613323 11W 370lm 3000K ■ Aluminum
IP 65 CRI 82 180°
AC220-240V 30,000h




● 613331 6W 220lm 3000K ■ Aluminum
IP 65 CRI 82 160°
AC220-240V 30,000h



● 613341 3.5W 190lm 3000K ■ Aluminum
IP 54 CRI 82 120°
AC220-240V 30,000h



● 613337 9.5W 850lm 3000K ■ Aluminum
IP 54 CRI 82 120°
AC220-240V 30,000h




● 613333 6.5W 450lm 3000K ■ Aluminum
IP 54 CRI 82 120°
AC220-240V 30,000h



LED Surface Mounted Luminaire

Sky




● 521219 6W 3000K 161lm

■ Aluminum

IP 54 CRI 80 7°*79°
AC100-240V 30,000h

LED Surface Mounted Luminaire

Sunset



● 521224 3W 3000K 99lm

■ Aluminum

IP 54 CRI 80 70°*80°
AC100-240V 30,000h



LED Surface Mounted Luminaire


Even



- 521255 6W 3000K 300lm ∇ 90°*97° ■ Aluminum
- 521241 6W 3000K 600lm ∇ 105°*65°
- IP 54 CRI 80
- AC100-240V 30,000h

LED Surface Mounted Luminaire

Rainy Night




- 521267 12W 3000K 500lm ■ Aluminum
- IP 54 CRI 80 ∇ 97°*65°
- AC100-240V 30,000h



LED Surface Mounted Luminaire

Soul



● 521269 10W 3000K 1020lm


■ Aluminum

IP 54 CRI 80  30°*30°
 AC100-240V  30,000h



LED Surface Mounted Luminaire

Ripple



● 521262 4W 3000K 240lm

■ Aluminum

IP 54 CRI 80  180°
 AC100-240V  30,000h




LED Surface Mounted Luminaire

MistyShine

LED Surface Mounted Luminaire


Heaven



● 521239 6W 3000K 245lm
● 521253 6W 3000K 245lm

■ Aluminum

IP 54 CRI 80 95°*70°
 AC100-240V 30,000h



● 521265 6W 3000K 840lm


■ Aluminum

IP 54 CRI 80 112°
 AC100-240V 30,000h



LED Surface Mounted Luminaire

Wind




● 521240 6W 3000K 350lm
● 521254 6W 3000K 350lm

■ Aluminum

IP 54 CRI 80 110°*80°
 AC100-240V 30,000h

LED Surface Mounted Luminaire

Simple



● 521256 12W 3000K 600lm
● 521250 12W 3000K 630lm


■ Aluminum

IP 54 CRI 80 105°*65°
 AC100-240V 30,000h



LED Surface Mounted Luminaire

Color



- 521251 12W 3000K 600lm
- 521257 12W 3000K 600lm

■ Aluminum


IP 54 CRI 80 75°*45°

AC100-240V 30,000h



LED Surface Mounted Luminaire

Snowdrift




● 521271 12W 3000K 820lm

■ Aluminum

IP 65 CRI 80 $\angle$ 120°
 AC100-240V 30,000h

LED Surface Mounted Luminaire

Snowdrift



● 521273 12W 3000K 860lm



■ Aluminum

IP 65 CRI 80 $\angle$ 120°
 AC100-240V 30,000h



LED Surface Mounted Luminaire

Snowdrift







- 521275 12W 3000K 820lm
- 521276 12W 3000K 820lm

■ Aluminum

IP 65 CRI 80 120°
AC100-240V 30,000h

LED Surface Mounted Luminaire

Snowdrift



- 521277 12W 3000K 1000lm
- 521279 12W 3000K 820lm


■ Aluminum

IP 65 CRI 80 120°
AC100-240V 30,000h



LED Surface Mounted Luminaire

Serene




● 521211 6W 3000K 300lm

■ Aluminum

IP 54 CRI 80  80°*70°
 AC100-240V  30,000h

Beyond Light,
To the last details



- 612297 3.5W 3000K 6lm
- 612298 3.5W 3000K 16lm


■ Die Casting Aluminum +ABS

IP 65 CRI 80
AC220-240V



LED Recessed Luminaire



Guidelines



● 521228 5W 3000K 105lm

■ Aluminum+ADC12


IP 65 CRI 80 110°
 AC100-240V 30,000h




● 521227 5W 3000K 80lm

■ Aluminum+ADC12

IP 65 CRI 80 110°
 AC100-240V 30,000h




Stroll



- 521252 2W 3000K 60lm
- 521238 2W 3000K 60lm

■ Aluminum+Glass

IP 65 CRI 80 36**63°
AC100-240V 30,000h



- 521249 5W 3000K 150lm

■ Aluminum+ADC12

IP 65 CRI 80 51°
AC100-240V 30,000h

Protector



- 541089 13W 3000K 279lm


■ Aluminum

IP 65 CRI 80 57°
AC220-240V 30,000h



LED Recessed Luminaire

Moon




● 621040 2W 6500K 20lm

■ Stainless Steel+Die Casting Aluminum

IP 65 CRI 80 340°
AC220-240V



Blaze




- 615539 10W 3000K 920lm
- 615540 10W 4000K 940lm
- 615541 10W 6500K 970lm

■ Aluminum

IP 65 CRI 85 110°

AC220-240V




- 615542 20W 3000K 1800lm
- 615543 20W 4000K 1850lm
- 615544 20W 6500K 1900lm

■ Aluminum

IP 65 CRI 85 110°

AC220-240V




- 615545 30W 3000K 2550lm
- 615546 30W 4000K 2620lm
- 615547 30W 6500K 2800lm

■ Aluminum

IP 65 CRI 85 110°

AC220-240V



- 615548 50W 3000K 4450lm
- 615549 50W 4000K 4550lm
- 615550 50W 6500K 4700lm


■ Aluminum

IP 65 CRI 85 110°


AC220-240V




Blaze



● 615551 100W 3000K/4000K/6500K 10000lm@3000K
■ Aluminum
IP 65 CRI 85 110°
AC220-240V



● 615552 150W 3000K/4000K/6500K 15000lm@3000K
■ Aluminum
IP 65 CRI 85 110°
AC220-240V




● 615553 200W 3000K/4000K/6500K 20000lm@3000K
■ Aluminum
IP 65 CRI 85 110°
AC220-240V



Surface Mounted Luminaire

Symphony



● 541119 Max.23W

■ Aluminum

IP 44 ⚡ E27
⚡ AC220-240V

Symphony Series Family Products

Bollard Luminaire



● 541116




● 541117



● 541118

Coastal-R



● 541034 Max.25W ■ Aluminum
IP 44 ⚡ E27
⚡ AC220-240V

Coastal-R Series Family Products

Bollard Luminaire



● 541031 ● 541032 ● 541033

Bliss



● 541038 Max.25W ■ Aluminum
● 541042 Max.25W IP 44 ⚡ E27
⚡ AC220-240V

Bliss Series Family Products

Bollard Luminaire




● 541035 ● 541037 ● 541036
● 541039 ● 541041 ● 541040



Surface Mounted Luminaire

Grace



● 541059 Max.8W


■ Aluminum

IP 44

⌏ E27

⏚ AC220-240V

Echo



● 541057 Max.8W

■ Aluminum

IP 44 ≡ GX53
⏏ AC220-240V

Echo Series Family Products

Bollard Luminaire




● 541058

● 541055

● 541056

Aurora



● 614226 Max.9W

■ Aluminum

IP 54 ≡ GU10
⏏ AC220-240V

Aurora Series Family Products

Bollard Luminaire




● 614227



Surface Mounted Luminaire

Serein



● 541123 Max.25W

■ Aluminum

IP 44 ⚡ E27
⏚ AC220-240V

Serein Series Family Products

Bollard Luminaire



● 541120



● 541121




● 541122



Surface Mounted Luminaire

Melody-R




- 613435 Max.9W
- 613436 Max.9W

■ Aluminum+Glass
 IP 54 ⊥ GU10
 ⏏ AC220-240V

Surface Mounted Luminaire

Melody-D



- 613437 Max.9W
- 613438 Max.9W

■ Aluminum+Glass
 IP 54 ⊥ GU10
 ⏏ AC220-240V



Surface Mounted Luminaire

Eos



- 613492 Max.9W
- 613490 Max.9W
- 613491 Max.9W

■ Aluminum+Glass

IP 54
AC220-240V

GU10



- 613493 Max.9W
- 613319 Max.9W
- 613320 Max.9W

■ Aluminum+Glass

IP 54
AC220-240V

GU10



Surface Mounted Luminaire

Healer-U



● 671268 Max.18W

■ Aluminum

IP 54 ㄣ E27
 ⏏ AC220-240V

Surface Mounted Luminaire

Healer-I



● 671269 Max.18W


■ Aluminum

IP 54 ㄣ E27
 ⏏ AC220-240V



Surface Mounted Luminaire

Healer-S



● 614266 Max.18W

■ Aluminum

IP 44 ⚡ E27

🔌 AC220-240V

Healer-S Series Family Products

Bollard Luminaire



● 614267

Healer-R




● 671270 Max.18W

■ Aluminum


IP 54 ⚡ E27
🔌 AC220-240V

Healer-R Series Family Products

Bollard Luminaire



● 671274




● 671275





Surface Mounted Luminaire

Ocean



■ Aluminum

IP 44 ⚡ GX53
⚡ AC220-240V

● 541053 Max.8W

Ocean Series Family Products

Bollard Luminaire



● 541054



● 541051




● 541052



Surface Mounted Luminaire

Sunup



● 521152 Max.18W


■ Aluminum

IP 54 ⌋ E27
 ⌋ AC220-240V



Surface Mounted Luminaire

Sunup



● 521153 Max.18W


■ Aluminum

IP 54 ⌋ E27
 ⌋ AC220-240V



Surface Mounted Luminaire

Mountain



● 521217 Max.18W

■ Aluminum

IP 54 ⌵ E27
⌵ AC220-240V



Surface Mounted Luminaire

Rainforest



● 521243 Max.18W

● 521244 Max.18W


■ Aluminum

IP 54 ⌵ E27
⌵ AC220-240V



Surface Mounted Luminaire

Wetland




● 521245 Max.18W

■ Aluminum

IP 54 ≡ E27
 ≡ AC220-240V

Surface Mounted Luminaire

Hillside



● 521246 Max.18W


■ Aluminum

IP 54 ≡ E27
 ≡ AC220-240V



Surface Mounted Luminaire

Dawn



● 521247 Max.18W


■ Aluminum

IP 54 ⌏ E27
⏏ AC220-240V



Surface Mounted Luminaire

Lake



● 521297 Max.18W

■ Aluminum

IP 54 ⌏ E27
⏏ AC220-240V




Beyond Light,
To the last details



Recessed Step Light

Novelty




● 614200 Max.5W

■ Aluminum


IP 54 ⚡ G9
AC220-240V

Accessories Specifications




● 614201

■ Aluminum




● 614202

■ Aluminum




● 614203

■ Aluminum



● 614205

■ Aluminum




● 614204

■ Aluminum



Recessed Step Light


Radiant



● 614206 Max.5W


■ Aluminum

IP 54 ⚡ G9
AC220-240V



● 614207

■ Aluminum



● 614208

■ Aluminum




LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire
- Fence Luminaire



LED Bollard Luminaire


Blue Sky



● 541112 13W 3000K

■ Aluminum


IP 65 CRI 80
AC220-240V 30,000h



● 541113 13W 3000K

■ Aluminum

IP 65 CRI 80
AC220-240V 30,000h



● 541114 13W 3000K

■ Aluminum

IP 65 CRI 80
AC220-240V 30,000h

Blue Sky Series Family Products

LED Wall Luminaire


● 541079





LED Bollard Luminaire


Raindrop



● 521311 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 60°
AC100-240V 30,000h




● 521312 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 60°
AC100-240V 30,000h

LED Bollard Luminaire


Beings



● 521313 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°
AC100-240V 30,000h




● 521314 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°
AC100-240V 30,000h

LED Bollard Luminaire

Glowing



● 521315 8W 3000K 700lm


■ Aluminum

IP 65 CRI 95  100°
 AC100-240V  30,000h



LED Bollard Luminaire

Avant



● 521316 7W 3000K 200lm


■ Aluminum

IP 54 CRI 95  70°
 AC100-240V  30,000h



LED Bollard Luminaire


Idyll



● 521318 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85 70°
AC100-240V 30,000h



● 521319 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85 70°
AC100-240V 30,000h

Idyll Series Family Products

LED Wall Luminaire


● 521317





LED Bollard Luminaire


Mushroom



● 521321 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85 120°
AC100-240V 30,000h



● 521322 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85 120°
AC100-240V 30,000h

Mushroom Series Family Products

LED Wall Luminaire


● 521320





LED Bollard Luminaire

Autumn




● 521323 12.5W 3000K 445lm

■ Aluminum

IP 65 CRI 85  100°
 AC100-240V  30,000h

LED Bollard Luminaire


Knoll



● 521329 13W 3000K 590lm

■ Aluminum

IP 65 CRI 85  180°
 AC100-240V  30,000h




● 521330 13W 3000K 590lm


■ Aluminum

IP 65 CRI 85  180°
 AC100-240V  30,000h


Plateau



● 521324 12.5W 3000K 790lm
■ Aluminum
IP 65 CRI 85 180°
AC100-240V 30,000h




● 521325 12.5W 3000K 790lm
■ Aluminum
IP 65 CRI 85 180°
AC100-240V 30,000h




● 521327 13W 3000K 220lm
■ Aluminum
IP 54 CRI 85 140°
AC100-240V 30,000h

Fairy Ring




● 521326 12.5W 3000K 790lm
■ Aluminum
IP 65 CRI 85 180°
AC100-240V 30,000h




● 521328 13W 3000K 220lm
■ Aluminum
IP 54 CRI 85 140°
AC100-240V 30,000h




Moonlight



● 541162 20W 3000K 470lm 260° ■ Aluminum
IP 65 CRI 85
 AC100-240V 30,000h



● 541163 20W 3000K 550lm 270° ■ Aluminum
IP 65 CRI 85
 AC100-240V 30,000h



● 541164 20W 3000K 570lm 280° ■ Aluminum
IP 65 CRI 85
 AC100-240V 30,000h

Moonlight Series Family Products

LED Wall Luminaire


● 541165






LED Bollard Luminaire

Changing




- 541169 11W 3000K 740lm
- 541170 11W 4000K 800lm

■ Aluminum
IP 65 CRI 85 60°*2
AC100-240V 30,000h



- 541171 11W 3000K 740lm
- 541172 11W 4000K 800lm

■ Aluminum
IP 65 CRI 85 60°*2
AC100-240V 30,000h



- 541173 11W 3000K 740lm
- 541174 11W 4000K 800lm

■ Aluminum
IP 65 CRI 85 60°*2
AC100-240V 30,000h

Changing Series Family Products


LED Wall Luminaire

- 541175
- 541176





Winter



● 541187 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 107°
AC100-240V 30,000h



● 541188 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 107°
AC100-240V 30,000h



● 541189 13W 3000K 250lm


■ Aluminum

IP 65 CRI 85 107°
AC100-240V 30,000h




LED Bollard Luminaire

SkyEye



● 541192 7W 3000K 270lm ■ Aluminum
IP 54 CRI 85 120°
AC100-240V 30,000h



● 541193 7W 3000K 270lm ■ Aluminum
IP 54 CRI 85 120°
AC100-240V 30,000h



● 541194 7W 3000K 270lm ■ Aluminum
IP 54 CRI 85 120°
AC100-240V 30,000h

SkyEye Series Family Products

LED Wall Luminaire

● 541195






Beyond Light,
To the last details



Bollard Luminaire

Coastal-R




● 541031 Max.25W

■ Aluminum

IP 44 ⚡ E27

⏚ AC220-240V




● 541032 Max.25W

■ Aluminum

IP 44 ⚡ E27

⏚ AC220-240V



● 541033 Max.25W

■ Aluminum

IP 44 ⚡ E27

⏚ AC220-240V

Coastal-R Series Family Products


Wall Luminaire



● 541034

Bliss





● 541035

Max.25W

● 541039


Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27



● 541036

Max.25W

● 541040


Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27



● 541037

Max.25W

● 541041

Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27

Bliss Series Family Products

Wall Luminaire


● 541038

● 541042



Coastal-S





● 541047


Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27



● 541048


Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27



● 541049

Max.25W

■ Aluminum

IP 44

⏏ AC220-240V

⌏ E27

Coastal-S Series Family Products

Wall Luminaire


● 541050





Bollard Luminaire

Symphony




● 541116 Max.23W

■ Aluminum

IP 44
AC220-240V

⌋ E27




● 541117 Max.23W

■ Aluminum

IP 44
AC220-240V

⌋ E27



● 541118 Max.23W

■ Aluminum

IP 44
AC220-240V

⌋ E27

Symphony Series Family Products


Wall Luminaire

● 541119





Serein




● 541120 Max.25W

■ Aluminum

IP 44
AC220-240V

E27




● 541121 Max.25W

■ Aluminum

IP 44
AC220-240V

E27



● 541122 Max.25W

■ Aluminum

IP 44
AC220-240V

E27

Serein Series Family Products

Wall Luminaire


● 541123





Bollard Luminaire

Planet




● 671273 Max. 18W

■ Aluminum

IP 54 ⌵ E27
⌵ AC220-240V

Bollard Luminaire


Starry Night



● 614367 Max. 9W

■ Aluminum+Glass

IP 54 ⌵ GU10
⌵ AC220-240V



● 614368 Max. 9W


■ Aluminum+Glass

IP 54 ⌵ GU10
⌵ AC220-240V



Bollard Luminaire

Aurora



● 614227 Max.9W ■ Aluminum
IP 54 ≡ GU10
⚡ AC220-240V

Aurora Series Family Products


Wall Luminaire

● 614226






Ocean



● 541054 Max.8W

■ Aluminum


IP 44 ⚡ GX53
⏚ AC220-240V



● 541051 Max.8W

■ Aluminum

IP 44 ⚡ GX53
⏚ AC220-240V



● 541052 Max.8W

■ Aluminum

IP 44 ⚡ GX53
⏚ AC220-240V

Ocean Series Family Products

Wall Luminaire


● 541053





Echo






● 541058 Max.8W

■ Aluminum

IP 44 𐀀 GX53
⏏ AC220-240V






● 541055 Max.8W

■ Aluminum

IP 44 𐀀 GX53
⏏ AC220-240V





● 541056 Max.8W

■ Aluminum

IP 44 𐀀 GX53
⏏ AC220-240V

Echo Series Family Products

● 541057




Wall Luminaire




Bollard Luminaire



Oasis



● 541157 Max.23W



● 541158 Max.23W



● 541159 Max.23W

■ Aluminum

IP 44 ⚡ E27
⏚ AC220-240V

Oasis Series Family Products

Wall Luminaire




● 541160

● 541161




Celestial



● 614365 Max.9W

■ Aluminum+Glass

IP 54 ⏏ GU10
⏏ AC220-240V



● 614366 Max.9W

■ Aluminum+Glass

IP 54 ⏏ GU10
⏏ AC220-240V



Bollard Luminaire

Healer-S



● 614267 Max.18W

■ Aluminum

IP 44 ⚡ E27
⚡ AC220-240V

Healer-S Series Family Products

Wall Luminaire

● 614266





Bollard Luminaire


Healer-R



● 671274 Max.18W

■ Aluminum

IP 54 ⌵ E27
⏏ AC220-240V



● 671275 Max.18W

■ Aluminum

IP 54 ⌵ E27
⏏ AC220-240V

Healer-R Series Family Products

Wall Luminaire

● 671270





Bollard Luminaire

Dream



● 671276 Max.9W

■ Aluminum

IP 65 ⚡ GU10
⚡ AC220-240V



● 671277 Max.9W



■ Aluminum

IP 65 ⚡ GU10
⚡ AC220-240V



Fence Luminaire

Creek



● 541092 Max.25W


■ Aluminum

IP 44 ⚡ E27

🔌 AC220-240V

Fence Luminaire

Mirror



● 612091 8.5W 3000K 396lm


■ Aluminum

IP 65 CRI 80 📐 111°

🔌 AC220-240V ⌚ 50,000h

Charm-R






● 521298 Max.18W

■ Aluminum+ADC12

IP 54 ⚡ E27
⚡ AC220-240V






● 521299 Max.18W

■ Aluminum+ADC12

IP 54 ⚡ E27
⚡ AC220-240V





● 521300 Max.18W

■ Aluminum+ADC12

IP 54 ⚡ E27
⚡ AC220-240V






Projector Series

- LED Projector Luminaire
- Projector Luminaire
- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire



LED Projector Luminaire




● 615369 9W 3000K 185lm

■ Aluminum+Glass

IP 66 1° CRI 85
AC220-240V




Projector Luminaire



● 615351 Max.9W MR11

■ Aluminum

IP 65
AC220-240V




● 615352 Max.9W GU10

■ Aluminum

IP 65
AC220-240V




Projector Luminaire




● 615353 5.5W 3000K 230lm

■ Aluminum+Glass
IP 65 24° CRI 85
AC220-240V




● 615354 10W 3000K 550lm

■ Aluminum+Glass
IP 65 24° CRI 85
AC220-240V



● 615355 15W 3000K 950lm

■ Aluminum+Glass
IP 65 24° CRI 85
AC220-240V



Projector Luminaire

Saturn



● 671278 Max. 9W

■ Aluminum

IP 65 ⚡ GU10
⚡ AC220-240V



Mars




● 521280 Max. 9W

■ Aluminum


IP 54 ⊥ GU10
⏚ AC220-240V



LED Surface-Mounted Luminaire



- 5101825 3W 3000K ■ Aluminum
- 5101826 3W 4000K IP 65 24°
DC24V CRI95




- 5101828 4W 3000K ■ Aluminum
- 5101829 4W 4000K IP 65 24°
DC24V CRI95



LED Surface-Mounted Luminaire


Azure Lake



● 541124 13W 3000K 1000lm

■ Aluminum

IP 65 CRI 85  24°
 AC220-240V  30,000h



● 541127 20W 3000K 1700lm

■ Aluminum

IP 65 CRI 85  20°
 AC220-240V  30,000h



LED Surface-Mounted Luminaire

Azure Lake




● 541126 13W 3000K 1000lm ■ Aluminum
IP 65 CRI 85 24°
AC220-240V 30,000h



● 541129 20W 3000K 1650lm ■ Aluminum
IP 65 CRI 85 20°
AC220-240V 30,000h




LED Spike Luminaire




● 615520 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°
AC220-240V 30,000h



● 615521 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°
AC220-240V 30,000h



● 615522 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°
AC220-240V 30,000h



LED Spike Projector Luminaire

Azure Lake



● 541125 13W 3000K 950lm ■ Aluminum

IP 65 CRI 85 60°
AC220-240V 30,000h




● 541128 20W 3000K 1550lm ■ Aluminum

IP 65 CRI 85 20°
AC220-240V 30,000h



Surface-Mounted Luminaire


Artistry



● 541130 Max.20W

■ Aluminum

IP 65 ⚡ GU10
⚡ AC220-240V




● 541132 Max.20W

■ Aluminum

IP 65 ⚡ GU10
⚡ AC220-240V




Neptune



● 541099 Max. 9W

■ Aluminum


IP 65 ⌊ GU10
⌋ AC220-240V



● 541131 Max. 9W

■ Aluminum


IP 65 ⌊ GU10
⌋ AC220-240V



● 612063 Max. 9W

■ Aluminum

IP 65 ⌊ GU10
⌋ AC220-240V



● 613993 Max. 9W


■ Aluminum+ADC12

IP 65 ⌊ GU10
⌋ AC220-240V



In-Ground Luminaire Series


- LED In-ground Luminaire
- In-Ground Luminaire



● 615356 1W 3000K 55lm

■ Stainless Steel+Aluminum

IP 67 CRI 95 $\angle$ 30°
AC220-240V 50,000h



● 615357 2.5W 3000K 95lm

■ Stainless Steel+Aluminum

IP 67 CRI 95 $\angle$ 30°
AC220-240V 50,000h



● 615358 3.5W 3000K 130lm

■ Stainless Steel+Aluminum

IP 67 CRI 95 $\angle$ 30°
AC220-240V 50,000h




● 615359 6W 3000K 230lm $\angle$ 10°
615360 8W 3000K 250lm $\angle$ 15°
615361 6W 3000K 240lm $\angle$ 30°
615362 10W 3000K 500lm $\angle$ 5°
615363 10W 3000K 400lm $\angle$ 10°

■ Stainless Steel+Aluminum

IP 67 CRI 95
AC220-240V 50,000h

Star Sea



● 521301 3.5W 3000K 13lm

■ Aluminum+ADC12

IP 65 CRI 80 $\angle$ 2°*84°
AC100-240V 30,000h



● 521302 6W 3000K 24lm

■ Aluminum+ADC12

IP 65 CRI 80 $\angle$ 2°*84°
AC100-240V 30,000h





● 521303 10.5W 3000K 40lm

■ Aluminum+ADC12

IP 65 CRI 80 $\angle$ 21°*80°
AC100-240V 30,000h


Seafarer



● 612163 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80 20°
AC220-240V 50,000h



● 612164 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80 20°
AC220-240V 50,000h




● 612165 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80 20°
AC220-240V 50,000h


Seafarer



● 612166 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80 20°
AC220-240V 50,000h



● 612167 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80 20°
AC220-240V 50,000h




● 612168 30W 3000K 2682lm


■ Aluminum+SS3/4

IP 67 CRI 80 20°
AC220-240V 50,000h


Luminosity



● 612169 7.5W 3000K 500lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h




● 612170 17W 3000K 1385lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h




● 612171 27.5W 3000K 2437lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h


Luminosity



● 612172 7.5W 3000K 500lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h




● 612173 17W 3000K 1385lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h



● 612174 27.5W 3000K 2437lm
■ Aluminum+SS3/4
IP 67 CRI 80 15°
AC220-240V 50,000h




Nebula



- 521201 2.5W 3000K 160lm 30°
- 521306 2.5W 3000K 130lm 30°
- 521307 2.5W 3000K 230lm 70°

■ Aluminum
IP 67 CRI 80
AC100-240V 30,000h




- 614225 3W 2700K 163lm

■ Aluminum
IP 67 CRI 80 25°
AC220-240V 30,000h




Nebula



● 521304	1.6W	3000K	75lm	▼ 32°	■ Aluminum
● 521305	1.6W	3000K	35lm	▼ 70°	IP 67 CRI 80
● 521098	1.6W	3000K	100lm	▼ 32°	AC100-240V ⚡ 30,000h
● 521129	1.6W	3000K	28lm	▼ 32°	
● 521125	1.6W	3000K	100lm	▼ 32°	




Meteor



- 521202 2.5W 3000K 73lm ▴ 57°*236°
- 521203 2.5W 3000K 80lm ▴ 13°*63°

■ Aluminum


IP 67 CRI 80
AC100-240V 30,000h



- 521231 2.5W 3000K 15lm ▴ 13°*63°
- 521232 2.5W 5700K 80lm ▴ 13°*63°

■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h




- 521236 2.5W 3000K 33lm ▴ 18°*90°


■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h


Milky Way




● 612513 4.4W 3000K 238lm
■ Aluminum
IP 65 CRI 80 $\angle$ 33°
AC220-240V 50,000h



● 612517 8W 3000K 715lm
■ Aluminum
IP 65 CRI 80 $\angle$ 21°
AC220-240V 50,000h




● 612514 4.4W 3000K 302lm
■ Aluminum
IP 65 CRI 80 $\angle$ 21°
AC220-240V 50,000h




● 612518 8W 3000K 715lm
■ Aluminum
IP 65 CRI 80 $\angle$ 21°
AC220-240V 50,000h



Comet




● 612515 3.4W 3000K 79lm
■ Aluminum
IP 65 CRI 80 $\angle$ 70°
AC220-240V 50,000h



● 612519 8.2W 3000K 468lm
■ Aluminum
IP 65 CRI 80 $\angle$ 65°
AC220-240V 50,000h




● 612516 3W 3000K 37lm
■ Aluminum
IP 65 CRI 80 $\angle$ 89°
AC220-240V 50,000h



● 612520 5.4W 3000K 89lm
■ Aluminum
IP 65 CRI 80 $\angle$ 92°
AC220-240V 50,000h


Supernova



● 613232 Max.9W

■ Stainless Steel
+Die Casting Aluminum

IP 65 ⌵ MR11 GU10
⏏ AC220-240V




● 613233 Max.9W

■ Stainless Steel
+Die Casting Aluminum

IP 65 ⌵ MR11 GU10
⏏ AC220-240V





Nightfall



● 612175 Max.9W

■ Aluminum+SS304


IP 65 ⌵ GU10
⏏ AC220-240V



● 612176 Max.9W

■ Aluminum+SS304

IP 65 ⌵ GU10
⏏ AC220-240V



Solar Light

- LED Solar Street Light Luminaire
- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire
- LED Solar Spike Luminaire
- LED Solar Wall Luminaire
- LED Solar Flood Light Luminaire



LED Solar Street Light Luminaire


Sunlit



- 613342 8W 3000K 800lm
 - 613343 8W 4000K 850lm
 - 613344 15W 3000K 1600lm
 - 613345 15W 4000K 1650lm
 - 613346 40W 4000K 4800lm
- ABS+PC
- IP 65 CRI 80 110°
 AC220-240V 35,000h

LED Solar Street Light Luminaire

Sunbeam




- 613347 6W 3000K 800lm
 - 613348 6W 4000K 850lm
 - 613349 8.5W 3000K 850lm
 - 613350 8.5W 4000K 900lm
- ABS+PC
- IP 65 CRI 80 110°
 AC220-240V 35,000h



LED Solar Surface-Mounted Luminaire

Sunshine




● 614214 4.5W 3000K/4000K 350lm

■ Aluminum+PC

IP 65 CRI 80 120°
DC5V 35,000h

Tube




● 614217 ■ Aluminum+PC



LED Solar Surface-Mounted Luminaire

SunBreeze




● 614215 4.5W 3000K/4000K 250lm

■ Aluminum+PC

IP 65 CRI 80 180°
DC5V 35,000h

Tube



● 614217 ■ Aluminum+PC




LED Solar Bollard Luminaire

Galaxy



● 614216 4.5W 3000K/4000K 250lm ■ Aluminum+PC
IP 65 CRI 80 180°
DC5V 35,000h


Tube



● 614218 ■ Aluminum+PC



Rays



● 614364 2W 3000K 200lm
■ PC+ABS
IP 65 CRI 80  80°
 4.5V  15,000h




● 614788 1.8W 3000K 180lm
■ PC
IP 65 CRI 80  30°
 5.5V  15,000h



● 614789 1.5W 3000K 60lm
■ PC
IP 54 CRI 80  200°
 5.5V  15,000h




Rays




- 614793 3W 3000K 300lm
- ABS+PC
- IP 54 CRI 85 110°
- 5V 15,000h


Accessories



- 614794 ■ ABS+Iron




- 614795 ■ ABS+PC




- 614796 ■ ABS

Rays




● 614783 4W 3000K 300lm
■ ABS +PC
IP 54 CRI 80 120°
5V 15,000H




● 614784 1W 3000K 36lm
■ ABS+PC+Glass
IP 54 CRI 80 90°
5V 15,000H

Accessories




● 614791



● 614792


Rays



● 614786 1W 3000K 50lm
■ Aluminum+PC
IP 54 CRI 80 200°
5V 15,000H



● 614787 1W 3000K 36lm
■ Aluminum+PC
IP 54 CRI 80 160°
5V 15,000H



● 614790 3W 3000K 225lm
■ Aluminum+PC
IP 54 CRI 80 120°
5V 15,000H




LED Solar Flood Light Luminaire

Star



● 613158	5W	3000K	1120lm	■ Aluminum+Silicon	
● 613159	5W	4000K	1160lm	IP 65	CRI 80
● 613160	5W	6000K	1210lm	60°	AC220-240V
					30,000h



Contact Us

global@illuslighting.com

www.illuslighting.com

Find us in KSA, UAE, Oman, Kuwait, Qatar, Egypt, Spain, Bahrain, China.