




GURU COLLECTION & NEW ARRIVALS

guru-usa.com

 **GURU**[®]
waterproofingproducts



06	Our company GURU USA
08	Drains A system for every bathroom
20	Shower accessories Shelf and installation accessories
22	Preformed Products Prefabricated dry construction elements
28	Technical membranes Waterproofing and uncoupling membranes
42	Installation accessories Complements for the installation of our membranes
46	Bundles
48	XPRO Leveling systems
50	Displays
53	Installation guides & videos

TABLE OF CONTENTS ILLUSTRATED

SORTED BY PRODUCT TYPE

DRAINS



EVO GRATE INTEGRA
Pages 8-9



EVO GRATE
Page 10



EVO LITE
Page 11



EVOLUX SQUARE
Page 11



EVOLUX LINEAR
Pages 12-13



REVOLUX
Pages 14-15



DRAIN CONNECTOR SQUARE
Pages 16-17



DRAIN CONNECTOR LINEAR
Pages 18-19

SHOWER KITS



PRO KIT | PRO KIT PLUS
Page 19



SQUARE DRAIN CONNECTOR KIT
Page 20



LINEAR DRAIN CONNECTOR KIT
Page 21



KIT FOR MUD BED
Page 24



W-S TUB KIT
Page 24



SUPERKIT
Pages 25-27

TECHNICAL MEMBRANES



WATER-STOP
Pages 28-29



G- FLEX
Pages 30-31

PREFORMED PRODUCTS



W-S HEAVY DUTY SHOWER TRAY
Pages 22-23



W-S BOARD
Pages 32-33



W-S NICHE
Pages 34-35




W-S BENCH
Pages 38-39

NEW

SHOWER AND INSTALLATION ACCESSORIES



SHELF
Pages 40-41



SHELF NICHE
Pages 36-37



3/4" PIPE SEAL
Pages 42



W-S DEX
Pages 42



W-S DIN
Pages 42



KIT CORNER BENCH
Page 39



W-S BAND
Page 43



DRAIN FLASHING SET
Page 43



MIXING VALVE SEAL
Page 43



W-S CURB
Page 43



EASEAL
Page 44



W-S SEALANT
Page 44



G-TROWEL
Page 44



W-S PATCH
Page 45



W-S BAND P&S
Page 45

NEW

NEW


X-PRO



CLIPS & WEDGES
Page 48





PLIERS
Page 49



SPINS & CAPS
Page 49

CONTINUOUS EVOLUTION TOWARDS EXCELLENCE






GURU
waterproofingproducts

GURU
waterproofingproducts

NEW HEADQUARTERS DALLAS, TX

EVO GRATE TILEABLE DRAIN



Drain available in two versions — for tiles under 1/4" and over 1/4" — to choose the most suitable option for your tile thickness. Standard outer size: 4" x 4".

Shower drain in compliance with **ASME A112.18.2-2015/ CSA B125.2-15.**

Product accepted by IAPMO

NEW

REF.	DESCRIPTION	SIZE	HEIGHT
IDU3503	EVO GRATE INTEGRA 4" - under ¼"	4"	Under ¼"
IDU3505	EVO GRATE INTEGRA 4" - over ¼"	4"	Over ¼"

NEW

SEAMLESS INTEGRATION with the tile, with no visible lines or transitions.

DRAIN AND GRATE WITH PROTECTIVE FRAME Surrounds the tile and shields the grout from water erosion.

TILEABLE GRATE Can be tiled over with the same material as the surrounding surface for a continuous look.

HAIR STRAINER Removable and easy to clean



NEW

CHOOSE THE HEIGHT FOR YOUR TILE!



Under 1/4" tile IDU3503


Over 1/4" tile IDU3505



Products included:

NEW

NOW INCLUDED



DRAIN COVER

Installation cover



TILEABLE GRATE

Removable for
easy cleaning



HAIR STRAINER


Removable for
easy cleaning



GRATE HOLDER

Removable for
easy cleaning


EVO GRATE STAINLESS STEEL DRAIN




PLUS BRUSHED




PLUS NERO





PLUS POLISHED



PLUS GOLD



PLUS BRONZE


PLUS NICKEL
CHAMPAGNE

PLUS WHITE




REF.	DESCRIPTION	SIZE
IDU7024	EVO GRATE PLUS BRUSHED	4"
IDU7026	EVO GRATE PLUS NERO	4"
IDU7029	EVO GRATE PLUS POLISHED	4"
IDU7025	EVO GRATE PLUS GOLD	4"
IDU7023	EVO GRATE PLUS BRONZE	4"
IDU7027	EVO GRATE PLUS NICKEL CHAMPAGNE	4"
IDU7028	EVO GRATE PLUS WHITE	4"

**NEW
DESIGNS**



HEX BRUSHED



HEX NERO



LINE BRUSHED



LINE NERO

REF	DESCRIPTION	SIZE
IDU7030	EVO GRATE HEX BRUSHED	4"
IDU7031	EVO GRATE HEX NERO	4"
IDU7040	EVO GRATE LINE BRUSHED	4"
IDU7041	EVO GRATE LINE NERO	4"



Products not included:

DRAIN COVER

Installation cover

GRATE HOLDER


Minimum height
drain 1/4"

3x 1/8" SPACERS

Allow to adjust the
installation height

**System included with the SQUARE DRAIN CONNECTOR (page 17)*


EVO LITE STAINLESS STEEL DRAIN




PLUS BRUSHED




PLUS NERO



PLUS POLISHED



PLUS GOLD



PLUS BRONZE



PLUS NICKEL
CHAMPAGNE




PLUS WHITE




SQUARE NICKEL
CHAMPAGNE



SQUARE NERO



SPIGA NICKEL
CHAMPAGNE



SPIGA NERO

REF.	DESCRIPTION	SIZE
IDU7011	EVO LITE PLUS BRUSHED	4"
IDU7012	EVO LITE PLUS NERO	4"
IDU7013	EVO LITE PLUS POLISHED	4"
IDU7014	EVO LITE PLUS GOLD	4"
IDU7015	EVO LITE PLUS BRONZE	4"
IDU7016	EVO LITE PLUS NICKEL CHAMPAGNE	4"
IDU7017	EVO LITE PLUS WHITE	4"
IDU7007	EVO LITE SQUARE NICKEL CHAMPAGNE	4"
IDU7008	EVO LITE SQUARE NERO	4"
IDU7009	EVO LITE SPIGA NICKEL CHAMPAGNE	4"
IDU7010	EVO LITE SPIGA NERO	4"



Products included:

GRATE Made of stainless steel and available in various designs.

HAIR STRAINER Premium ABS hair-strainer included.

DRAIN Lowest height drain 1/4" made of ABS.

ADAPTER A push-in resilient connection for the most common clamping ring shower drains.

EVOLUX INTEGRA SQUARE DRAIN



INTEGRA
TILEABLE GRATE

REF.	DESCRIPTION	SIZE
IDU3504	SQUARE TILEABLE DRAIN & STRAINER INTEGRA	4"



Products included:

TILEABLE GRATE Allows the drain to be finished with the same tile as the surrounding area.

HAIR STRAINER Premium ABS hair-strainer included.

DRAIN Low profile drain 3/8" height made of marine grade stainless steel, 16 gauges.

ADAPTER A push-in resilient connection for the most common clamping ring shower drains.



EVOLUX LINEAR DRAINS



The **Evolux Linear Drain** is a low-profile drainage system with a 5/16" drain height, ideal for installations with penny tile or other low-thickness coverings. The system includes a push-in flexible adapter, compatible with most standard clamping ring shower drains, enabling quick, secure installation and allowing height adjustment for a precise fit with any tile thickness.

Available in two models:

Plus: an elegant grate design offered in three premium finishes — Brushed, Nero, and Gold.

Integra: a tileable grate for a seamless, invisible finish that blends with the surrounding tile.



PLUS



INTEGRA TILEABLE GRATE

Low profile design!



PLUS BRUSHED



PLUS NERO




PLUS GOLD



INTEGRA **TILEABLE GRATE**



5/16"



REF.	DESCRIPTION	SIZE	MODEL
IDU3224	LINEAR DRAIN & STRAINER	24"	PLUS BRUSHED
IDU3228	LINEAR DRAIN & STRAINER	28"	PLUS BRUSHED
IDU3236	LINEAR DRAIN & STRAINER	36"	PLUS BRUSHED
IDU3248	LINEAR DRAIN & STRAINER	48"	PLUS BRUSHED
IDU3260	LINEAR DRAIN & STRAINER	60"	PLUS BRUSHED
IDU5224	LINEAR DRAIN & STRAINER	24"	PLUS NERO
IDU5228	LINEAR DRAIN & STRAINER	28"	PLUS NERO
IDU5236	LINEAR DRAIN & STRAINER	36"	PLUS NERO
IDU5248	LINEAR DRAIN & STRAINER	48"	PLUS NERO
IDU5260	LINEAR DRAIN & STRAINER	60"	PLUS NERO
IDU6228	LINEAR DRAIN & STRAINER	28"	PLUS GOLD
IDU6236	LINEAR DRAIN & STRAINER	36"	PLUS GOLD
IDU3524	LINEAR DRAIN & STRAINER	24"	INTEGRA
IDU3528	LINEAR DRAIN & STRAINER	28"	INTEGRA
IDU3536	LINEAR DRAIN & STRAINER	36"	INTEGRA
IDU3548	LINEAR DRAIN & STRAINER	48"	INTEGRA
IDU3560	LINEAR DRAIN & STRAINER	60"	INTEGRA

Products included:

HAIR STRAINER Premium hair-strainer included.

DRAIN Low profile drain 5/16" height made of marine grade stainless steel, 16 gauges.

ADAPTER A push-in resilient connection for the most common clamping ring shower drains.


TILEABLE GRATE - ONLY FOR INTEGRA Allows the drain to be finished with the same tile as the surrounding area.



REVOLUX FIT TO SIZE LINEAR DRAINS

The **Revolux Linear Drain** is a modern and elegant drainage system designed for **fit-to-size** applications. Manufactured from 6063-T6 aircraft-grade aluminum, it ensures strength, corrosion resistance, and a refined look.

Revolux is available in two elegant designs — Curve and Cavity — and comes in five different finishes: Black, Chrome, Nickel, Gold, and Rose, making it a perfect match for high-end stylish bathrooms. The drain is offered in two standard sizes: 48" and 78".



FIT TO SIZE



SIMPLIFIED
INSTALLATION



LONG-LASTING



DIFFERENT DESIGNS



HIGH EVACUATION
FLOW

REF.	DESCRIPTION	FINISH	SIZE
IDU1148	REVOLUX CURVE	CHROME	48"
IDU1248	REVOLUX CURVE	BLACK	48"
IDU1348	REVOLUX CURVE	NICKEL CHAMPAGNE	48"
IDU1448	REVOLUX CURVE	GOLD	48"
IDU1548	REVOLUX CURVE	ROSE	48"
IDU1178	REVOLUX CURVE	CHROME	78"
IDU1278	REVOLUX CURVE	BLACK	78"
IDU1378	REVOLUX CURVE	NICKEL CHAMPAGNE	78"
IDU1478	REVOLUX CURVE	GOLD	78"
IDU1578	REVOLUX CURVE	ROSE	78"

REF.	DESCRIPTION	FINISH	SIZE
IDU2148	REVOLUX CAVITY	CHROME	48"
IDU2248	REVOLUX CAVITY	BLACK	48"
IDU2348	REVOLUX CAVITY	NICKEL CHAMPAGNE	48"
IDU2448	REVOLUX CAVITY	GOLD	48"
IDU2548	REVOLUX CAVITY	ROSE	48"
IDU2178	REVOLUX CAVITY	CHROME	78"
IDU2278	REVOLUX CAVITY	BLACK	78"
IDU2378	REVOLUX CAVITY	NICKEL CHAMPAGNE	78"
IDU2478	REVOLUX CAVITY	GOLD	78"
IDU2578	REVOLUX CAVITY	ROSE	78"

REVOLUX CURVE



CHROME



GOLD



ROSE



BLACK



NICKEL CHAMPAGNE

REVOLUX CAVITY



CHROME



GOLD



ROSE



BLACK



NICKEL CHAMPAGNE




Products included:

GRATE Made in aluminium

HAIR STRAINER Premium hair-strainer included.

DRAIN Low profile drain 5/16"


ADAPTER A push-in resilient connection for the most common clamping ring shower drains.




SQUARE DRAIN CONNECTOR

DUAL ASSISTANT CONNECTOR


Our connector can be used with traditional drains or with GURU Evo Grate System.
(Universal Adapter included for Mud Bed installations).



STANDARD DRAIN POSITION




TILEABLE DRAIN POSITION



REF.	DESCRIPTION	MATERIAL
IGU6801	SQUARE DRAIN CONNECTOR	ABS (black)
IGU6803	SQUARE DRAIN CONNECTOR	PVC (grey)

Products included:



*Grate not included (page 10)



GRATE HOLDER


Minimum height drain 1/4".

3x 1/8" SPACERS

Allow to adjust the installation height.



Drain repositioning
system up to 1/4"



Fabric bonded for
superior thinset adhesion



Can be installed over existing
drain pipe connection



Quickest to install system




Drain repositioning
system up to 1/4"

LINEAR DRAIN CONNECTOR

MUD BED & PRESLOPED SHOWER PAN


Easy to install shower drain pipe connection either in mud bed installations or presloped systems. It's reduced dimensions make it ideal for "close to wall" installations. Ideal for showers with just one slope.
(Universal Adapter included for Mud Bed installations).




ABS

PVC


1x Connector



1x Universal adapter



REF.	DESCRIPTION	MATERIAL
IGU6800	LINEAR DRAIN CONNECTOR	ABS (black)
IGU6802	LINEAR DRAIN CONNECTOR	PVC (grey)



Fabric bonded for superior thinset adhesion



Can be installed over existing drain pipe connection



Quickest to install system



Drain repositioning system up to 3/8"

PRO KIT

FOR SQUARE DRAIN INSTALLATION

The Pro Kit is the ideal choice for professional installers seeking an affordable and comprehensive solution. This kit includes all the essentials for a seamless installation, featuring a drain connector and adapter, four inside corners, two outside corners, and high-quality sealant. Unique to the Pro Kit Plus, the grate is also included, ensuring you have everything you need to complete the job efficiently. Packed for easy transport and designed to meet the demands of professional contractors, this kit provides the best value while ensuring top-notch results on every project.



Products included:

- 1. Square Drain Connector & universal adapter
- 2. W-S DIN In-corner - 4pcs
- 3. W-S DEX Out-corner - 2 pcs
- 4. W-S Sealant

1



2



3



4



REF.	DESCRIPTION
ICU3014	PRO KIT



Products included:

- 1. Square Drain Connector & universal adapter
- 2. W-S DIN In-corner - 4 pcs
- 3. W-S DEX Out-corner - 2 pcs
- 4. W-S Sealant
- 5. Evo Grate

1



2



3



4



5



INCLUDED

REF.	DESCRIPTION
ICU3013	PRO KIT PLUS DRAIN

SQUARE DRAIN CONNECTOR KIT

MUD BED & PRESLOPED SHOWER PAN

This kit can be used either for a mud bed installation or GURU Heavy Duty Presloped Shower Pan 4 slopes.

Universal adapter ring included with different pre-set heights for a mud bed installation from ¾” to 2” thickness.

It also works as an adaptor for the most common body drains on the market with perforated pattern holes.

Horizontal shower drain adjustment allowing 1/4” movement.

The most advanced drain body sealant connection.

Product developed according to IAPMO PS106.



 Products included:

- 1. Square Drain Connector & universal adapter
- 2. W-S DIN In-corner - 4 pcs
- 3. W-S DEX Out-corner - 4 pcs
- 4. W-S Sealant
- 5. Mixing Valve Seal
- 6. 3/4" Pipe seal

1



2



3



4



5



6



REF.	DESCRIPTION	MATERIAL
ICU3009	SQUARE DRAIN CONNECTOR KIT	ABS (black)
ICU3011	SQUARE DRAIN CONNECTOR KIT	PVC (grey)

LINEAR DRAIN CONNECTOR KIT

MUD BED & PRESLOPED SHOWER PAN

This kit can be used either for a mud bed installation or GURU Heavy Duty Presloped Shower Pan 2 slopes.

Universal adapter ring included with different preset heights for a mud bed installation from ¾" to 2" thickness.

It also works as an adaptor for the most common body drains on the market with perforated pattern holes.

Horizontal shower drain adjustment allowing 3/8" movement.


The most advanced drain body sealant connection.

Product developed according to IAPMO PS106.



 Products included:

- 1. Linear Drain Connector & universal adapter
- 2. W-S DIN In-corner - 4 pcs
- 3. W-S DEX Out-corner - 4 pcs
- 4. W-S Sealant
- 5. Mixing Valve Seal
- 6. 3/4" Pipe seal



REF.	DESCRIPTION	MATERIAL
ICU3010	LINEAR DRAIN CONNECTOR KIT	ABS (<i>black</i>)
ICU3012	LINEAR DRAIN CONNECTOR KIT	PVC (<i>grey</i>)

W-S HEAVY DUTY SHOWER TRAY

PRESLOPED SHOWER PAN

Heavy Duty Pre-sloped Shower Tray with a **new 6" overlap**. The most durable shower pan in the market, allowing installation of any tile size, including penny tile.

Developed according to IAPMO PS106. Certified ANSI A118.10 and ANSI A118.12.




Heavy duty



Quickly walkable



Quick installation




Ultra thin



Easily cuttable
Fit to size

FOR SQUARE DRAINS 4 SLOPES




REF.	DESCRIPTION	SIZE*	HEIGHT	DRAIN PLACEMENT
IMU9400	W-S HEAVY DUTY SHOWER TRAY	36"x 60"	3/8" to 7/8"	CENTER
IMU9404	W-S HEAVY DUTY SHOWER TRAY	36"x 60"	3/8" to 7/8"	OFF-CENTER
IMU9401	W-S HEAVY DUTY SHOWER TRAY	48"x 48"	3/8" to 7/8"	CENTER
IMU9402	W-S HEAVY DUTY SHOWER TRAY	48"x 72"	3/8" to 1"	CENTER
IMU9403	W-S HEAVY DUTY SHOWER TRAY	72"x 72"	3/8" to 1"	CENTER




NEW
6" OVERLAP



FOR LINEAR DRAINS 2 SLOPES



REF.	DESCRIPTION	SIZE*	HEIGHT	DRAIN PLACEMENT
IMU9200	W-S HEAVY DUTY SHOWER TRAY	37 1/2" x 60"	3/8" to 1"	OFF-CENTER
IMU9201	W-S HEAVY DUTY SHOWER TRAY	49 1/2" x 48"	3/8" to 1"	OFF-CENTER
IMU9202	W-S HEAVY DUTY SHOWER TRAY	49 1/2" x 72"	3/8" to 2"	OFF-CENTER



Superkit Linear works with:



Evolux Linear Drain*
(to choose from all models)

(Page 12)



Evolux Integra Linear Drain*

(Page 12)



Revolux Linear Drain*
(to choose from all models)

(Page 14)

KIT FOR MUD BED SHOWER

The KIT FOR MUD BED is the perfect shower system for the mud slope installers that want to have the best results at the lowest cost. Very well packed, easy to carry by hand with all the materials the contractor needs besides the tile, the thin-set and grout.



Products included:

1



2



3



4



5



6



7



1.

WATER-STOP waterproofing membrane 6' 7" x 6' 7" (43 sqft)

2.

Square Drain Connector & universal adapter

3.

W-S DIN In-corner - 4 pcs

4.

W-S DEX Out-corner - 2 pcs

5.

Mixing Valve Seal

6.


3/4" Pipe seal

7.

W-S Sealant

REF.	DESCRIPTION
ICU3004	KIT FOR MUD BED SHOWER

W-S TUB KIT



Products included:

1



2



3



4



1.

WATER-STOP waterproofing membrane 3' 3" x 32' 10" (108 sqft)

2.

Mixing Valve Seal

3.

3/4" Pipe seal

4.

W-S Sealant

REF.	DESCRIPTION
IAU1025	W-S TUB KIT

SUPERKIT SQUARE WITH DRAIN


PRESLOPED SHOWER SYSTEM

Quickest preformed tray with waterproofing factory bonded. It comes with a low profile height shower drain which fits in our push fit clamping ring easily.

REF.	DESCRIPTION	DRAIN	MEASURE*	DRAIN PLACEMENT
ISU0002	SUPERKIT SQUARE	ABS	36" x 60"	OFF-CENTER
ISU0003	SUPERKIT SQUARE	ABS	48" x 48"	CENTER
ISU0004	SUPERKIT SQUARE	ABS	36" x 60"	CENTER
ISU0005	SUPERKIT SQUARE	ABS	48" x 72"	CENTER
ISU0008	SUPERKIT SQUARE	PVC	36" x 60"	OFF-CENTER
ISU0009	SUPERKIT SQUARE	PVC	48" x 48"	CENTER
ISU0010	SUPERKIT SQUARE	PVC	36" x 60"	CENTER
ISU0011	SUPERKIT SQUARE	PVC	48" x 72"	CENTER
ISU0023	SUPERKIT SQUARE	PVC	72" x 72"	CENTER




Products included:












Evo Grate Plus Brushed
INCLUDED

- Heavy Duty Shower Tray
- 3' 3" x 16' 5" / 3' 3" x 32' 10" WATER-STOP Roll
- 2x 36" / 48" Waterproofed Curb
- Mixing Valve Seal
- W-S DIN In-corner- 4 pcs
- W-S DEX Out-corner- 2 pcs
- 3/4" Pipe seal
- W-S Sealant
- Square Drain Connector & universal adapter
- Evo Grate

SUPERKIT SQUARE WITHOUT GRATE

PRESLOPED SHOWER SYSTEM

Quickest preformed tray with waterproofing factory bonded. It comes with a low profile height shower drain which fits in our push fit clamping ring easily.


REF.	DESCRIPTION	DRAIN	MEASURE*	DRAIN PLACEMENT
ISU0013	SUPERKIT SQUARE WITHOUT GRATE	ABS	36" x 60"	OFF-CENTER
ISU0016	SUPERKIT SQUARE WITHOUT GRATE	ABS	48" x 48"	CENTER
ISU0012	SUPERKIT SQUARE WITHOUT GRATE	ABS	36" x 60"	CENTER
ISU0018	SUPERKIT SQUARE WITHOUT GRATE	ABS	48" x 72"	CENTER
ISU0014	SUPERKIT SQUARE WITHOUT GRATE	PVC	36" x 60"	OFF-CENTER
ISU0017	SUPERKIT SQUARE WITHOUT GRATE	PVC	48" x 48"	CENTER
ISU0015	SUPERKIT SQUARE WITHOUT GRATE	PVC	36" x 60"	CENTER
ISU0019	SUPERKIT SQUARE WITHOUT GRATE	PVC	48" x 72"	CENTER
ISU0024	SUPERKIT SQUARE WITHOUT GRATE	PVC	72" x 72"	CENTER



- 1. Heavy Duty Shower Tray
- 2. 3' 3" x 16' 5" / 3' 3" x 32' 10" WATER-STOP Roll
- 3. 2x 36" / 48" Waterproofed Curb
- 4. Mixing Valve Seal
- 5. W-S DIN In-corner - 4 pcs
- 6. W-S DEX Out-corner- 2 pcs
- 7. 3/4" Pipe seal
- 8. W-S Sealant
- 9. Square Drain Connector

This system can be completed with:

Evo Grate* (to choose from all models)



*Not included.

SUPERKIT LINEAR

PRESLOPED SHOWER SYSTEM

The NEW GURU Superkit for Shower Linear Drains includes all the essential materials needed to waterproof your shower. This comprehensive kit provides a variety of water-stop materials, ensuring durability and long-lasting performance for a modern and reliable shower space. Perfect for both residential and commercial shower installations, the GURU Superkit delivers a professional solution for any setting.

REF.	DESCRIPTION	DRAIN	MEASURE*	DRAIN PLACEMENT
ISU0020	SUPERKIT LINEAR	PVC	37 1/2" x 60"	OFF-CENTER
ISU0021	SUPERKIT LINEAR	PVC	49 1/2" x 48"	OFF-CENTER
ISU0022	SUPERKIT LINEAR	PVC	49 1/2" x 72"	OFF-CENTER




Products included:

1



2



3



4



5



6



7



8



9



10



1



2



3



4



5



6



7



8



9



10



This system can be completed with:

Evolux Linear Drain*
(to choose from all models)

(Page 12)

Evolux Integra Linear Drain*

(Page 12)

Revolux Linear Drain*
(to choose from all models)

(Page 14)

*Not included.

GURU COLLECTION | 27

WATER-STOP WATERPROOFING MEMBRANE



Waterproofing and standard crack isolation membrane. WATER-STOP meets and exceed the requirements of: **ANSI A118.10 (IAPMO FILE 9205) and ANSI A118.12 (IAPMO FILE 9990).**
Product accepted by IAPMO.

REF.	DESCRIPTION	MEASURE	MSRP/SQFT
IFU5502	WATER-STOP PRE-CUT	4' x 6' 7" = 26 sqft	\$ 2.93/sqft
IFU5501	WATER-STOP PRE-CUT	5' x 6' 7" = 32 sqft	\$ 2.50/sqft
IFU5503	WATER-STOP PRE-CUT	6' 7" x 6' 7" = 43 sqft	\$ 2.16/sqft
IFU5100	WATER-STOP ROLL	3' 3" x 16' 5" = 54 sqft	\$ 2.24/sqft
IFU5113	WATER-STOP ROLL	3' 3" x 32' 10" = 108 sqft	\$ 2.11/sqft
IFU5200	WATER-STOP ROLL	3' 3" x 98' 5" = 323 sqft	\$ 1.96/sqft
IFU5300	WATER-STOP ROLL	6' 7" x 65' 7" = 430 sqft	\$ 1.87/sqft

WATER-STOP is a highly-flexible, low perm multi-layer steam barrier sheet membrane 20-mil thick for bonded waterproofing applications. It is suitable to be used in conjunction with ceramic and stone tile covering for wall and floor surfaces, interior and exterior, where protection against the penetration of moisture is necessary in new construction and renovation projects. As a crack isolation membrane WATER-STOP protects ceramic tile and natural stone from limited in-plane cracks and movement. Also ideal for use in steam showers as per its low perm rating.

Applications include showers walls, tub surrounds, bathrooms, steam showers, commercial and residential kitchens.



CHOOSE YOUR SIZE

PRE-CUT

ROLL



IFU5502
4' x 6' 7" = 26 sqft



IFU5501
5' x 6' 7" = 32 sqft



IFU5503
6' 7" x 6' 7" = 43 sqft

IFU5100
3' 3" x 16' 5" = 54 sqft

IFU5113
3' 3" x 32' 10" = 108 sqft

IFU5200
3' 3" x 98' 5" = 323 sqft

IFU5300
6' 7" x 65' 7" = 430 sqft




G-FLEX UNCOUPLING MEMBRANE



Waterproofing and extra heavy duty crack isolation membrane.

G-FLEX meets and exceeds the requirements of: ANSI A118.10 (IAPMO FILE 9205) and ANSI A118.12 (IAPMO FILE 9990).


Product accepted by IAPMO.




DECOUPLING




UNCOUPLING



WATERPROOFING





LOAD DISTRIBUTION



VAPOR MANAGEMENT

G-FLEX by GURU is a polyethylene membrane with a raised circular pattern. The back of the membrane is covered by a geotextile fiber. Acts as a waterproofing membrane, compensates vapor pressure if moisture appear on the substrate and a uncoupling membrane on critical substrates. We leave the different uses of the membrane: Food plants, dairies, breweries, airports, kitchens...




REF.	DESCRIPTION	MEASURE
ILU5100	G-FLEX ROLL	3' 3" x 45' 9" = 150 sqft
ILU5200	G-FLEX ROLL	3' 3" x 98' 5" = 323 sqft

W-S BOARD LIGHTWEIGHT CONSTRUCTION BOARD

Build and waterproof at the same time... Reduce time!



Developed according to IAPMO PS106 for tileable kit. Certified ANSI A118.10 and ANSI A118.12.



Lightweight construction board made of high density XPS core factory bonded in both sides to WATER-STOP membrane exceeding the core dimension - creating a WATER-STOP flange.

- » Superior resistance performance
- » Reduces the building time

REF.	DESCRIPTION	MEASURE	
IMU9300	W-S BOARD	3' x 5' x 1/2"	SOLD BY THE PALLET
IMU9301	W-S BOARD	4' x 8' x 1/2"	SOLD BY THE PALLET
IMU9310	W-S BOARD	3' x 5' x 1/2" - Pre cut at 3' x 2.5'	SOLD BY THE BOX
IMU9700	W-S BOARD	2' x 8' x 2"	SOLD BY THE PALLET
IMU9710	W-S BOARD	2' x 4' x 2"	SOLD BY THE PALLET

Installation accessories:



REF.	DESCRIPTION	QUANTITY
IGU6018	SCREW & WASHER SET	100 UNITS EACH
IGU6019	THREADED SCREW FOR STUD FRAMING T-20	200 UNITS
IGU6026	GALVANIZED WASHERS 200 UNITS	200 UNITS

W-S NICHE SHOWER NICHE

Effortless, Elegance and Functionality




THE ULTIMATE SHOWER SPACE SOLUTION

The W-S NICHE, where precision craftsmanship meets innovative design. Say goodbye to complicated installations and hello to a seamlessly integrated, stylish shower niche that redefines convenience and functionality.




PRE-SLOPED PERFECTION

Our precisely engineered pre-sloped base guarantees optimal water drainage, preventing moisture problems and keeping your shower clean and flawless.



MAXIMIZED SPACE

Featuring a 1" recessed shelf, the W-S NICHE maximizes storage without sacrificing style. Designed to fit standard ceramic tile sizes, it removes the hassle of cutting or adjustments.



BUILT TO LAST

With a high density XPS core factory bonded on both sides to WATER-STOP, niche is exceptionally durable and water-resistant, ensuring longevity and peace of mind.



INSTALLATION COMPONENTS INCLUDED

8x screws and 8x washers are provided to facilitate installation.

NEW
NOW
INCLUDED

REF.	DESCRIPTION	MEASURE	INTERIOR SHELF
IMU5000	W-S NICHE	12" x 12"	NOT INCLUDED
IMU5001	W-S NICHE	12" x 20"	INCLUDED (1 U.)
IMU5002	W-S NICHE	12" x 24"	INCLUDED (1 U.)
IMU5003	W-S NICHE	12" x 28"	INCLUDED (1 U.)

SHELF NICHE NICHE SHOWER SHELVES



NEW

REF.	FINISH
IMU0411	LINE BRUSHED
IMU0401	CROSS BRUSHED
IMU0412	LINE DARK
IMU0402	CROSS DARK
IMU0414	LINE NICKEL CHAMPAGNE
IMU0404	CROSS NICKEL CHAMPAGNE
IMU0413	LINE GOLD
IMU0403	CROSS GOLD



CROSS BRUSHED



LINE BRUSHED



CROSS DARK



LINE DARK



CROSS NICKEL CHAMPAGNE



LINE NICKEL CHAMPAGNE




CROSS GOLD



LINE GOLD

Shelf Inox:

12-inch niche shelf that requires no drilling or perforations for installation, preserving the waterproofing of the niche and walls. It is installed in the grout joint between tiles and requires a gap of at least 5/32 inches (4 mm).



GLASS

REF.	FINISH
IMU0400	TEMPERED GLASS



Shelf Glass:

12-inch niche shelf that requires no drilling or perforations for installation, preserving the waterproofing of the niche and walls. It is installed in the grout joint between tiles and requires a gap of at least 13/32 inches (10 mm).

W-S BENCH SHOWER SEAT



NEW

W-S BENCH is a triangular shower seat designed for wet areas. It features a WATER-STOP membrane that ensures full waterproofing and comes tile-ready for ceramic finishes.

The top surface is sloped to promote proper drainage and supports up to 350 lbs lb (158 kg), making it a functional, and safe solution for accessible or high-traffic showers.



Technical information

- » Height: 20"
- » Pre-sloped seat: 1.5%.
- » Supports a load up to 350 lbs

Products included:



1



NEW

2



3



4



1. W-S BENCH 2. W-S DEX 135° - 2 pcs 3. W-S DIN 135° - 2 pcs 4. W-S DIN

NEW

REF.	DESCRIPTION	MEASURE
IMU4016	W-S BENCH TRIANGULAR 16"	12" x 12"
IMU4024	W-S BENCH TRIANGULAR 24"	12" x 20"

SHELF SHOWER SHELVES




Designer shower shelves made in high quality stainless steel curved. Produced in rectified thickness to fit in tile joint size from 1/32". By its engineered design and materials it has been tested in heavy duty situations and holding weights up to 50 lbs.

REF.	DESCRIPTION	FINISH
IZU0302	SHELF PLUS TRIANGLE	BRUSHED
IZU0301	SHELF PLUS TRIANGLE	NERO
IZU0300	SHELF PLUS TRIANGLE	WHITE
IZU0314	SHELF PLUS TRIANGLE	NICKEL CHAMPAGNE
IZU0006	SHELF BEAT TRAPEZOID	BRUSHED
IZU0001	SHELF BEAT TRAPEZOID	NERO
IZU0008	SHELF BEAT TRAPEZOID	WHITE
IZU0007	SHELF BEAT TRAPEZOID	NICKEL CHAMPAGNE
IZU0009	SHELF BEAT TRAPEZOID	GOLD
IZU0010	SHELF BEAT TRAPEZOID	POLISHED


REF.	DESCRIPTION	FINISH
IZU0004	SHELF BEAT TRIANGLE	BRUSHED
IZU0000	SHELF BEAT TRIANGLE	NERO
IZU0005	SHELF BEAT TRIANGLE	NICKEL CHAMPAGNE
IZU0305	SHELF PLUS TRAPEZOID	BRUSHED
IZU0304	SHELF PLUS TRAPEZOID	NERO
IZU0303	SHELF PLUS TRAPEZOID	WHITE
IZU0312	SHELF PLUS TRAPEZOID	NICKEL CHAMPAGNE
IZU0308	SHELF PLUS TRAPEZOID ASIM	BRUSHED
IZU0307	SHELF PLUS TRAPEZOID ASIM	NERO
IZU0306	SHELF PLUS TRAPEZOID ASIM	WHITE
IZU0313	SHELF PLUS TRAPEZOID ASIM	NICKEL CHAMPAGNE



PLUS TRIANGLE BRUSHED




PLUS TRAPEZOID BRUSHED




PLUS TRAPEZOID ASIM BRUSHED



PLUS TRIANGLE NERO




PLUS TRAPEZOID NERO




PLUS TRAPEZOID ASIM NERO



PLUS TRIANGLE
NICKEL CHAMPAGNE



PLUS TRAPEZOID
NICKEL CHAMPAGNE




PLUS TRAPEZOID ASIM
NICKEL CHAMPAGNE



PLUS TRIANGLE WHITE



PLUS TRAPEZOID WHITE



PLUS TRAPEZOID ASIM WHITE



BEAT TRIANGLE BRUSHED



BEAT TRIANGLE NERO



BEAT TRIANGLE
NICKEL CHAMPAGNE



BEAT TRAPEZOID BRUSHED



BEAT TRAPEZOID NERO



BEAT TRAPEZOID
NICKEL CHAMPAGNE



BEAT TRAPEZOID WHITE



BEAT TRAPEZOID GOLD



BEAT TRAPEZOID POLISHED

WATER-STOP ACCESSORIES

*Discover more...



Reinforcements to complete safely the waterproofing. Waterproofing and crack isolation membrane in accordance with the standards: **ANSI A118.10 and ANSI A118.12.**
Product accepted by IAPMO


- Reinforcements for critical points



NEW




CORNER BENCH KIT



INSIDE CORNER 135 x 2



OUTSIDE CORNER 135 x 2



NEW

REF.	DESCRIPTION	
IGU6004	3/4" PIPE SEAL	Pipe reinforcement to seal around inlet and outlet pipes
IGU6005	W-S DEX (2 UNITS)	Outside corner strengthener 90°
IGU6006	W-S DIN (2 UNITS)	Inside corner strengthener 90°.
IGU6050	CORNER BENCH KIT	1 right and 1 left 135° outside corner, 2 135° inside corner and 1 90° inside corner
IGU6012	INSIDE CORNER 135 X 2	2 units
IGU6020	OUTSIDE CORNER 135 X 2	1 right and 1 left 135° outside corner

- Joining elements



REF.	DESCRIPTION	
IGU6100	W-S BAND 6"	Reinforcement and termination at joints with vertical parameters and joints of joinings. Roll 6" x 65'7" (14 cm x 20 m)
IGU6200	W-S BAND 34	Reinforcement and termination at joints with vertical parameters and joints of joinings. Roll 13" x 65'7" (34 cm x 20 m)
IGU6016	DRAIN FLASHING SET*	Preformed membrane of 16" and 1/2" to 1-3/4" heigh adapter to flashing connection to drain.
IGU6007	MIXING VALVE SEAL	Membrane section with 4 - 1/2" diameter integrated rubber gasket to mixing valve seal.

- Preformed products



REF.	DESCRIPTION		SIZE
IMU9018	W-S CURB 36" (2 pcs)	Lightweight and waterproofed pre-sloped shower curb.	4 1/2" x 4 1/2" x 36"
IMU9019	W-S CURB 48"	Lightweight and waterproofed pre-sloped shower curb.	4 1/2" x 4 1/2" x 48"
IMU9020	W-S CURB 60"	Lightweight and waterproofed pre-sloped shower curb.	4 1/2" x 4 1/2" x 60"

• Adhesives



REF.	DESCRIPTION	
IGU6024	EASEAL 6,61 lb	Polymer-modified mortar (PCC) monocomponent. Elastic and flexible waterproofing.
IGU6400	W-S SEALANT	Sealant adhesive to seal WATER-STOP products and its complementary drain.

• Tools




REF.	DESCRIPTION		SIZE
600003	G-TROWEL	Steel notched ergonomic trowel. Ideal for mosaics.	1/8" x 1/8"
600045	G-TROWEL	Steel notched ergonomic trowel. Ideal for large formats.	11/64" x 11/64"
600006	G-TROWEL	Steel notched ergonomic trowel	1/4" x 1/4"

NEW

PEEL AND STICK ACCESSORIES

The WATER-STOP peel-and-stick line offers a quick, easy, and reliable waterproofing solution for wall applications. Its strong adhesive backing ensures secure attachment, minimizing air bubbles and creating a smooth, long-lasting barrier. Just cut, peel, and apply—no additional tools or drying time needed.



W-S PATCH



W-S BAND



W-S PATCH PEEL AND STICK

NEW

REF.	DESCRIPTION
IGU6032	W-S PATCH PACK 100 UD - PEEL AND STICK



W-S BAND PEEL AND STICK



NEW

REF.	DESCRIPTION
IGU6031	W-S BAND - PEEL AND STICK 5'X 65' 7" (12CMX20M)



Complementary products:

W-S BOARD Lightweight construction board made of a high density XPS core factory bonded in both sides to WATER-STOP membrane

WATER-STOP Higly-flexible, low perm multi-layer steam barrier sheet membrane 20-mil thick for bonded waterproofing applications.

NEW!
NEW!
NEW!
NEW!

BUNDLE PACKS

The 20-Unit Bundle Packs offer great value and convenience, providing 20 units of the same high-quality product in one easy-to-transport package. It’s a cost-effective solution that ensures you’re always stocked.

SQUARE DRAIN CONNECTOR BUNDLE


REF.	DESCRIPTION	PACKAGING
IBU6803	SQUARE DRAIN CONNECTOR PVC BUNDLE	20 UNITS




1x Connector



1x Universal adapter



STANDARD DRAIN POSITION




TILEABLE DRAIN POSITION




WATER-STOP CORNERS BUNDLE

REF.	DESCRIPTION	PACKAGING
IBU6006	W-S DIN BUNDLE	20 BAGS OF 2 UNITS
IBU6005	W-S DEX BUNDLE	20 BAGS OF 2 UNITS




EVO GRATE BUNDLE

REF.	DESCRIPTION	PACKAGING
IBU7024	EVO GRATE PLUS BRUSHED BUNDLE	20 UNITS
IBU7026	EVO GRATE PLUS NERO BUNDLE	20 UNITS



XPRO LEVELING SYSTEM



Heavy duty wedge
High performance injected plastic
Slim Base to avoid air under the tile
Colored pliers head for easier installation

XPRO CLIPS & WEDGES



Clip 1/64"



Clip 1/32"



Clip 1/16"



Clip 1/8"



Clip 3/16"



Wedge

REF.	DESCRIPTION	MEASURE	PACKAGING	QUANTITY
164500	CLIP	1/64"	BAG	500
132500	CLIP	1/32"	BAG	500
401650	CLIP	1/16"	BAG	500
400850	CLIP	1/8"	BAG	500
531650	CLIP	3/16"	BAG	500
200250	WEDGE	-	BAG	250




How many pieces
do you need?

XPRO PLIERS



REF.	DESCRIPTION	PACKAGING	QUANTITY
101020	PLIERS	BAG	1

XPRO SPINS & CAPS



REF.	DESCRIPTION	PACKAGING	QUANTITY
600100	CAP	BAG	100
600018	1/8 SPACER SPIN	BAG	250
600116	1/16 SPACER SPIN	BAG	250
600132	1/32 SPACER SPIN	BAG	250


DISPLAYS

GURU USA POSTER



REF.	DESCRIPTION	SIZE
MKU0010	PRINTED POSTER DRAINS	28" x 71"
MKU0011	PRINTED POSTER WATERPROOF AND UNCOUPLING MEMBRANES	28" x 71"

GURU USA BANNER



DESCRIPTION	SIZE
BANNER GURU BLACK	2 x 2 ft
BANNER GURU BLACK	4 x 2 ft
BANNER GURU RED	2 x 2 ft
BANNER GURU RED	4 x 2 ft

POINT OF SALE DISPLAY

POS display (point of sale) is the perfect way to present and explain our products. It displays each one of our designs to claim client's attraction.



MK00020



MK00019

REF.	DESCRIPTION	SIZE
MK00019	WATER-STOP POS DISPLAY WITH GURU VINYL	40" x 75.75" x 15.75"
MK00020	SHOWER SYSTEMS POS DISPLAY WITH GURU VINYL	40" x 75.75" x 15.75"

**Price for the display only*

XPRO EXPOSITOR



Cardboard container display. It contains 11 bags of different products that the customer can choose from.




REF.	DESCRIPTION	SIZE
MK00055	XPRO POS DISPLAY	40" x 75.75" x 15.75"
IP01347	XPRO CARDBOARD CONTAINER DISPLAY	18.50" X 68" X 13.75"

**Price for the display only*

SHELF DISPLAY



Tabletop display.
Includes sample and assembly models.



REF.	DESCRIPTION	SIZE
MK00018	SHELF TOWER DISPLAY	1' 6" x 2' 1" x 6' 4"
MK00011	SHELF TABLETOP DISPLAY	1' 1" x 1' 6" x 1' 1"

*Price for the display only

DISPLAYS

SHOWER DRAINS

Shower drains diptych to show our astonishing Evo Grate finishes.



REF.	DESCRIPTION	SIZE
MKU0004	SHOWER DRAINS	12" x 16.50" x 2"

Installation



Scan the QR code to instantly access detailed installation guides and helpful video tutorials for all our products.



CONDITIONS OF SALE

DEFINITIONS

These Terms and Conditions ("Terms") apply to all sales by GURU USA, L.L.C. ("Seller"). "Buyer" refers to the party purchasing goods from Seller. "Products" means all goods listed in Seller's catalog, price list, or quoted to the Buyer.

PRICING AND PAYMENT

All prices are quoted exclusive of taxes. Applicable state and local taxes will be added to each invoice. Payment terms are Net 30 days from the invoice date unless otherwise agreed in writing. Late payments will incur a finance charge of 1.5% per month on any overdue balance, or the maximum allowed by law, whichever is lower. Failure to pay any invoice may result in the automatic acceleration of all outstanding amounts. Prices quoted in the Price List Catalog are subject to change without prior notice.

SHIPPING, DELIVERY AND RISK OF LOSS

Unless specified otherwise, all shipments are made EXW Seller's warehouse. Risk of loss or damage transfers to Buyer upon delivery to the carrier. Buyer must inspect all Products upon delivery. Claims for damage or shortage must be submitted in writing within 48 hours of receipt. Failure to do so will constitute acceptance of the Products as received. Backorders are subject to product availability. Delivery dates are estimates and not guaranteed. Special, custom, or non-standard orders are non-cancelable and non-returnable once confirmed.

Cancellations of standard orders require written approval and may be subject to a 25% restocking fee.

FREIGHT AND SHIPPING CHARGES

GURU USA, L.L.C. offers prepaid freight based on order size and delivery location, as follows:

REGION	ORDER MINIMUM FOR FREE FREIGHT
EAST AND WEST COAST (ZONES 0,1,2,3,8 OR 9)	\$5,000 (GROSS ORDER VALUE)
CENTRAL REGION (ZONES 4,5,6 OR 7)	\$3,500 (GROSS ORDER VALUE)
ALASKA & HAWAII	\$10,000 (GROSS ORDER VALUE)

Orders shipped directly to job sites or third-party locations (dropshipments) are subject to a 10% handling fee on the gross order value, regardless of order size. For WS Board products, 1 to 7 full pallets: \$150/pallet, 8+ full pallets: free shipping.

All shipments are sent ground at Seller's discretion, unless otherwise specified and agreed in writing. Additional charges may apply for special shipping requests, expedited services, or lift-gate deliveries. Seller reserves the right to make partial shipments unless expressly prohibited by Buyer in writing at the time of order.

WARRANTY AND LIMITATION OF LIABILITY

Seller warrants that Products will conform to the applicable specifications at the time of delivery. No other warranties apply, whether express or implied, including warranties of merchantability or fitness for a particular purpose. Seller's liability is limited to the replacement of defective Products or refund of the purchase price, at Seller's sole discretion. Seller is not liable for indirect, incidental, or consequential damages under any circumstances. Lifetime warranty must be approved by the Guru warranty department at warranty@guru-usa.com. Failure to comply with this procedure will void any claim to lifetime warranty coverage.

PRODUCT RETURNS

Products may be returned within forty-five (45) days of receipt, subject to Seller's prior written approval. After this period, returns will not be accepted. All approved returns are subject to a 25% restocking fee. Buyer is responsible for all return shipping costs. Products must be returned unused, in original packaging, and in resalable condition. Special, custom, or non-standard products are not eligible for return.

PRODUCT TESTING AND SUITABILITY

Buyer is responsible for testing the Products for the intended application. Seller assumes no liability for improper use or installation.

FORCE MAJEURE

Seller is not liable for any failure to perform due to events beyond its reasonable control, including but not limited to labor disputes, supply chain disruptions, weather, or acts of God.

GOVERNING LAW AND ARBITRATION

These Terms are governed by the laws of the State of Texas, without regard to conflict of law principles. Any dispute arising from this agreement shall be resolved by binding arbitration in Dallas, Texas, under the rules of the American Arbitration Association. Each party waives the right to a jury trial.

ENTIRE AGREEMENT

These Terms, along with any authorized quotation or invoice, constitute the entire agreement between Seller and Buyer. No verbal statements or other writings shall modify these Terms unless confirmed in writing by Seller.

CONTACT INFORMATION

GURU USA, L.L.C
Email: help@guru-usa.com
Phone: +1 800-596-7885
1300 W. Crosby Road, Suite 1300
Carrollton, TX 75006

TEAM GURU


Not following us on social media yet? Find us on Instagram, Facebook, LinkedIn, and YouTube.

We help you grow! Share photos of our products and tag us @guru_usa_llc, and we'll help you gain greater reach on your social media.

We're building an amazing TEAM GURU eager to meet you. Are you in?



DON'T FORGET TO
VISIT OUR WEBSITE!




NOTES

[illegible]

NOTES

[illegible]



GURU USA, L.L.C.

1300 W. Crosby Road, Suite 1300

Carrollton, TX 75006

Ph.: +1 800-596-7885

help@guru-usa.com

www.guru-usa.com



GURU
waterproofingproducts®